



Table of Contents Combination Wrenches

Stubby Combination Wrenches

SAE-710, pg. 5 MM-8910, pg. 6

Standard Length

SAE-9017, pg. 1 MM-9317, pg. 1

Long Pattern SAE-9411, 9415, 9414, pg. 1 MM-9109, 9111, pg. 2

Jumbo SAE-9404, pg. 2 MM-9105, pg. 2

Automotive Specialty Tools

Disconnect Tools 3202, pg. 6 3206, 3262, 3266, 3286, pg. 7

Hose Cutter 3001 pg. 7 30010, 30011, pg. 8

Tubing Bending Pliers 806, 808, 809, 8689 pg. 8

Transmission Linkage Bushing Installer 909, pg. 9

Crimper/Cutters 903, 904, 908, pg. 9

Magnetic Pick-up Tools 3822, 3822-10, 38011, pg. 12 3826, 3826-10, pg. 13

Gorilla Torque Bar 912, pg. 13

Pullers 4205, 4210, pg. 9

Impact Sockets & Related Items

1/2" F x 3/8" M Impact Extension Reducer 98005, 98012, 98024, 98036, pg. 11

Impact Universals 9904, 9922, pg. 11 9923, 99208, 99212, 99238, 99230, pg. 12

Specialty Wrenches

Angle Wrenches

SAE-214, pg. 2 MM-816, pg. 3

Jumbo Angle Wrenches

SAE-9810, pg. 3 MM-819, pg. 3

Crowfoot Wrenches

SAE-7711, pg. 6 MM-7412, pg. 6

Jumbo Crowfoot Wrenches

SAE-7814, pg. 6 MM-7917, pg. 6

SAE-8007, pg. 3 MM-8509, pg. 3

Super Thin Wrenches SAE-8307, pg. 3 8308, pg. 4 MM-8109, 813536, pg. 4

Flarenut/Open-End Combination Wrenches SAE-8211, pg. 4

MM-8811, pg. 5

Service Wrenches SAE-9212, 9215, pg. 5 MM-9515, pg. 5

Specialty Sockets & Accessories

1/4" Dr. Semi-Long Sockets SAE-4810, 4910, pg. 10 MM-2910, pg. 10

1/2" Dr. Sq. Drain Plug Sockets 3304, 3319, pg. 10

1/2" Dr. Hex Socket 3307, pg. 10 3506, pg. 11

Breaker Bars 41024, 41036, pg. 11

Electronics *Warm Keyboard*

WK-001, pg. 13

17pc standard length SAE combination wrench set.

Standard length combination wrenches are some of the most commonly used in auto shops. Now V8 makes an affordable standard length wrench of high quality.

sizes:(1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", **1-3/16**", 1-1/4")

9317

17pc standard length metric combination wrench set.

Standard length combination wrenches are some of the most commonly used in auto shops. Now V8 makes an affordable standard length wrench of high quality.

sizes:(8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm,17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm)

9411

11pc Long-Pattern SAE Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes: (1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8")

9415

15pc Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength. We have added the popular 1-3/16" size to our V8 9414, 14pc long pattern combination wrench set.

sizes: (3/8",7/16",1/2",9/16",5/8",11/16",3/4", 13/16",7/8",15/16",1",1-1/16",1-1/8", 1-3/16", 1-1/4")

9414

14pc Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes: (3/8",7/16",1/2",9/16",5/8",11/16",3/4", 13/16",7/8",15/16",1",1-1/16",1-1/8",1-1/4")











4pc Jumbo SAE Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes: (1-5/16",1-3/8",1-7/16",1-1/2")

9111

11pc Long-Pattern Metric Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes:(10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm)



9pc long-pattern combination wrench set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes:(21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 29mm)

9105

5pc Jumbo Combo Wrench Set

Our **long-pattern** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes:(30mm,32mm,34mm,35mm,36mm)

214

14pc Angle Head Combo Wrench Set

 30° and 60° angles allow the use of our wrenches in 4 different positions. They are also shorter for use in confined spaces.

sizes: (3/8",7/16",1/2",9/16",5/8",11/16",3/4", 13/16",7/8",15/16",1",1-1/16",1-1/8",1-1/4")

816

16pc Angle Head Combo Wrench Set

 30° and 60° angles allow the use of our wrenches in 4 different positions. They are also shorter for use in confined spaces.

sizes:

(8mm,9mm,10mm,11mm,12mm,13mm,14mm,15mm,16mm, 17mm,18mm,19mm,20mm,21mm,22mm,23mm)















10pc Jumbo Angle Head Combo Wrench Set

15[°] and 60[°] angles allow the use of our wrenches in 4 different positions. They are also shorter for use in confined spaces.

sizes: (1-5/16",1-3/8",1-7/16",1-1/2",1-5/8", 1-11/16",1-3/4",1-13/16",1-7/8",2")

819

9pc Jumbo Metric Angle Head Wrench Set

30[°] and 60[°] angles; Thin Head for ease of use; drop forged and heat treated alloy steel; in canvas pouch

sizes: (24mm, 25mm, 26mm, 27mm, 28mm, 29mm, 30mm, 31mm, 32mm,)

8007

7pc Super Duty Box Wrench Set

Super-Duty box-end wrenches are almost twice the length of a standard wrench, resulting in greater leverage, reach and control.

sizes:(1/4" x 5/16", 3/8" x 7/16", 1/2" x 9/16", 5/8" x 3/4", 11/16" x 13/16", 7/8" x 15/16", 1 x 1-1/16")

8509

9pc Super Duty Box Wrench Set

Super-Duty box-end wrenches are almost twice the length of a standard wrench, resulting in greater leverage, reach and control.

sizes:(8mm x 10mm, 9mm x 11mm, 10mm x 12mm, 13mm x 14mm, 15mm x 16mm, 17mm x 18mm, 19mm x 20mm, 21mm x 22mm, 23mm x 24mm)

8307

7pc super-thin wrench set

Specifically designed thinner than regular wrenches for use on thin nuts.

sizes:(3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 13/16", 7/8" x 15/16", 1" x 1-1/16", 1-1/8" x 1-1/4")











8pc super-thin wrench set

Specifically designed thinner than regular wrenches for use on thin nuts. Includes the increasingly popular **1-3/16**" and **1-5/16**" sizes.

sizes:(3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16",3/4" x 13/16", 7/8" x 15/16", 1" x 1-1/16", 1-1/8" x 1-1/4", 1-3/16" x 1-5/16")

8109

9pc Super Thin Wrench Set

Specifically designed thinner than regular wrenches for use on thin nuts.

sizes:(8mm x 9mm, 10mm x 11mm, 12mm x 13mm, 14mm x 15mm, 16mm x 17mm, 18mm x 19mm, 20mm x 21mm, 24mm x 27mm, 30mm x 32mm)

813536

35mm x 36mm Super Thin Wrench, (single) Specifically designed thinner than regular wrenches for use on thin nuts.

sizes: (35mmx36mm)

8211

11pc Combo Flare Nut/Open-End Wrench Set,

Note the 8211's thick open-end. Good for for soft hydraulic fittings.

sizes:(3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 3/16", 7/8", 15/16", 1")

8811

11pc Combo Flare Nut/Open End Wrench Set Note the 8211's thick open-end. Good for for soft hydraulic fittings.

sizes:(8mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm)











12pc Jumbo Service Wrench Set

Our **Jumbo Service** wrenches are made of high quality alloy steel and are heavier for extreme strength.

sizes:(1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2", 2-1/8", 2-1/4", 2-3/8", 2-1/2", 2-9/16", 2-5/8")

9215

15pc Service Wrench Set

Service wrenches are traditionally designed with trucks and hydraulics in mind. They are also very useful working on new cars and pick-up trucks.

sizes: (3/4",13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8")

9515

15pc Service Wrench Set

Service wrenches are traditionally designed with trucks and hydraulics in mind. They are also very useful working on new cars and pick-up trucks.

sizes: (20mm,21mm,22mm,23mm,24mm, 26mm,27mm, 28mm,29mm,30mm,32mm,33mm,34mm,35mm,36mm)

710

10pc Stubby Combo Wrench Set

Many of today's new vehicles have very limited space in the engine compartments. Extra short wrenches are are a requirement for access in many applications.

sizes: (7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1")

8910

10pc Stubby Combo Wrench Set

Many of today's new vehicles have very limited space in the engine compartments. Extra short wrenches are are a requirement for access in many applications.

sizes:(10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm)











11pc 3/8" dr. crowfoot set. (sae)

The **V8 7711** is one of V8's three new crowfoot sets. This is a standard crowfoot set with sizes ranging from 3/8" to 1". This set is made of drop-forged alloy-steel, is fully polished, and comes in a nice display case.

sizes: : (3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1")

7814

14pc Jumbo Crowfoot Wrench Set Easy to use thin blades; hole on the wall of square drive; drop forged steel (1/2" drive set)

sizes: (1-1/16",1-1/8",1-3/16",1-1/4",1-5/16",1-3/8",1-7/16", 1-1/2",1-5/8",1-11/16",1-3/4",1-3/16",1-7/8",2")

7412

12pc 3/8" dr. crowfoot set. (mm)

The **V8 7412** is one of V8's three new crowfoot sets. This is a metric crowfoot set with sizes ranging from 8mm to 19mm. This set is made of drop-forged alloy-steel, is fully polished, and comes in a nice display case.

sizes: : (8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm)

7917

17pc 1/2" dr. crowfoot set. (mm)

The **V8 7917** is one of V8's new jumbo crowfoot sets. This is a metric crowfoot set with sizes ranging from 20mm to 46mm. This set is made of drop-forged alloy-steel, is fully polished, and comes in a nice display case. *note: We already have a SAE jumbo crowfoot set (V8 7414) which goes from 1-1/16" to 2".*

sizes: : (20mm, 21mm, 22mm, 23mm, 24mm, 25mm, 26mm, 27mm, 28mm, 30mm, 32mm, 35mm, 36mm, 38mm, 41mm, 42mm, 46mm)

3202

2pc Disconnect Tool for Fuel and A/C lines,

- Strong, light and durable aluminum construction.
- Simple push-on and pull-off action.
- Thin lips slide under tight hose quickly.
- 6 popular sizes cover most cars.
- Color keyed for easy identification.
- Durable and soft powder coating will not scratch tubing.

sizes: (5/16",3/8")











6pc Disconnect Tool for Fuel and A/C lines,

- Strong, light and durable aluminum construction.
- Simple push-on and pull-off action.
- Thin lips slide under tight hose quickly.
- 6 popular sizes cover most cars.
- Color keyed for easy identification.
- Durable and soft powder coating will not scratch tubing.

sizes: (5/16",3/8",1/2",5/8",3/4",7/8")

3262

2pc Disconnect Tool,

Patent#(US6195862B1) The 2 most popular sizes for fuel lines.

sizes: (5/16",3/8")

3266

6pc Angled Disconnect Tool Set,

Patent#(US6195862B1)

- Patented design with an angular handle allows better access to hoses that are too close to fire walls, radiators, fuel pumps or fuel filters. It is also an excellent choice for working in confined spaces.
- Six sizes fit most fuel line, air conditioning & heater hose connectors.
- Made of very strong aluminum alloy.
- Our new design allows for placement of index finger under the angular handle to increase leverage to open up frozen springlocks.
- Newer model Ford, Chrysler & GM cars & pick-ups are requiring the use of these new disconnect tools. These six pieces cover all the popular sizes.

sizes: (5/16",3/8",1/2",5/8",3/4",7/8")

V8 3286

New improved 6pc offset disconnect tool set. Patent#(US6195862B1)

We have updated our angle disconnect tool set to cover more, newer GM, Chrysler, & Ford cars & trucks.

- Taller & thinner lips.
- We rounded the outside edges of the lips for easier usage.
- Improvements on machining & powder coating.
- Comes carded.

Sizes: (5/16", 3/8", 1/2", 5/8", 3/4", 7/8")

3001

Dual purpose

radiator hose cutter.

The current tools for cutting automotive radiator hoses include **razor blades** and **hacksaws**. Both of these tools are time-consuming and leave ragged edges. They are increasingly inadquate as the hoses used in new cars become thicker and stronger. It will take about **10-15** minutes to cut a new Benz hose and the cut will not be straight and clean. Using a hacksaw will take as long and will have an unprofessional looking edge. Our new V8 3001 can make a straight and clean cut in barely a few seconds.

The **V8 3001** is the only radiator hose cutter of its kind on the market today. It can cut large diameter hose up to **2-1/2**" This is a new tool every professional must have.

Patent # US 6,487,776 B2







Mounting Bracket for the 3001

Easily mount the **V8 3001** to the top of your workbench, becoming a stationary tool. Durable aluminum construction. Screws included.

30011

Replacement Tungsten Alloy or Hard Stainless Steel Blade for the V8 3001 Hose Cutter

For large diameter hoses up to 2-1/2".

8689

3pc Tubing Bending / Pliers new set!

By popular request, we put all three sizes in a strong canvas pouch and they are now available as a set.

V8 tubing benders are among the 2010 Top 100 most requested tools by the readers of the Professional Tool and Equipment News. They are also a favorite among mechanics, fabricators, and custom car builders at every tool show V8 has participated.





806


3/16" Tubing Bending / Pliers (patent pending)

Our unique head design allows for sharper bends without collapsing the tubing or leaving a deep mark on the surface. Handles are wide apart giving you enough leverage to bend tough steel tubing easily. Greater control to align and adjust.

808

1/4" Tubing Bending / Pliers (patent pending)

Our unique head design allows for sharper bends without collapsing the tubing or leaving a deep mark on the surface. Handles are wide apart giving you enough leverage to bend tough steel tubing easily. Greater control to align and adjust.



809

5/16" Tubing Bending / Pliers (patent pending)

Our unique head design allows for sharper bends without collapsing the tubing or leaving a deep mark on the surface. Handles are wide apart giving you enough leverage to bend tough steel tubing easily. Greater control to align and adjust.



Transmission Linkage Bushing Installer

For Mercedes-Benz with automatic transmissions, all years, some Ford models and others. This tool will easily and safely push tough nylon bushings into place. Works on different bushing sizes.

903

9-3/4" Crimper/Cutter, insulated

904

9-3/4" Crimper/Cutter, non-insulated

908

Adjustable Oil filter wrench

Manufacturer's note: Sale of this item will discontinue once our inventory has been exhausted.


4205

5 Ton Straight Bar Puller Set

The V8 4205 is a 5-ton chrome plated straight bar puller set in a plastic carrying case. It is easy to use and has multiple applications.

This kit includes:

1_9" spread 2_cap screw jaws, 3" reach 2_wide jaws, 5" reach 2_narrow jaws, 5" reach 1_9-3/4" forcing screw 1_10" 2-way crossarm





10 Ton Straight Bar Puller Set

The 4210 is V8's larger 10-ton puller set, versatile and strong. It includes 4 sets of jaws for different applications.

This kit includes: 1_10" spread

3_spring clips 2_cap screw jaws, 2-15/16" reach 2_double reach wide jaws 2_narrow jaws, 8" reach 2_extra narrow jaws w/8" reach (rated at 5 tons) 1_12" forcing screw 1_7" short forcing screw (comes in a plastic carrying case)

4810

10pc 1/4" Dr. Semi-Long Socket Set, 12pt Thin-Wall All our sockets are made out of a super-strong, drop-forged alloy steel.

sizes: (3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16")

4910

10pc 1/4" Dr. Semi-Long Socket Set, 6pt Thin-Wall All our sockets are made out of a super-strong, drop-forged alloy steel.

sizes: (3/16",7/32",1/4",9/32",5/16", 11/32",3/8",7/16",1/2",9/16")

2910

10pc 1/4" Dr. Semi-Long Socket set, 6pt Thin-Wall, All our sockets are made out of a super-strong, drop-forged alloy steel.

sizes: (5mm,6mm,7mm,8mm,9mm, 10mm,11mm,12mm,13mm,14mm)

3304

1/2" Dr. 4pc Square Drain Plug Socket Set,

All our sockets are made out of a super-strong, drop-forged alloy steel.

sizes: (8mm male Sq.,10mm male sq.,1/2" male sq.,10mm female sq.)

3319

1/2" dr. 19pc sq. drain plug socket set.

For removing oil drain plugs,oil pans, transmission pans & plugs, differential covers & plugs, etc.

These sockets are made extremely strong for undercar work.

Sizes:

- male sq. (7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 8mm, 10mm, 12mm)
- female sq. (7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 10mm)













square socket head detail




hex head detail

1/2" Dr. 7pc Hex Socket Set

All our sockets are made out of a super-strong, drop-forged alloy steel.



sizes:(7mm,8mm,10mm,12mm, 14mm,17mm,19mm)



hex head detail

3506

1/2" Dr. 6pc Hex Socket Set

All our sockets are made out of a super-strong, drop-forged alloy steel.

sizes: (3/8",7/16",1/2",9/16",5/8",3/4")

41024

24" 1/2" Dr. Super Breaker Bar Able to loosen tough nuts in a single turn

41036

36" 3/4" Dr. Super Breaker Bar

Tough, big and long.

98005

5'' Impact Extension Adapter This unique tool lets you use a 1/2"dr gun w/ 3/8"dr sockets. It is designed extra tough to prevent flexing.

98012

12" Impact Extension Adapter

This unique tool lets you use a 1/2"dr gun w/ 3/8"dr sockets. It is designed extra tough to prevent flexing.

98024

24" Impact Extension Adapter

This unique tool lets you use a 1/2"dr gun w/ 3/8"dr sockets. It is designed extra tough to prevent flexing.

98036

36" Impact Extension Adapter

This unique tool lets you use a 1/2"dr gun w/ 3/8"dr sockets. It is designed extra tough to prevent flexing.

9904

3/8" Dr. 4pc Universal Extension Bar Set Chrome plated, spring-loaded universals.

Chrome universal joints for use with hand ratchets or other chrome drive tools. V8's spring-loaded swivel design prevents premature loosening and sloppiness common in conventionally made universal joints and sockets.

(Not for use with any air or electric power tools.)



sizes: (6",12",18",24")

9922

3/8" & 1/2" Dr. 2pc Impact Universal Featuring our new safety ring, for your protection.

Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes.

9923

3pc 1/2" Dr. Impact Universal Extension Set These impact extension bars also have the

V8 safety ring for increased durability.

Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes.

sizes: (6",10",20")

99208

3/8" Dr. Impact Universal

Featuring the New V8 Safety Ring Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes.

99212

1/2" Dr. Impact Universal

Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes. *Featuring the New V8 Safety Ring*

99238

Impact Universal Adapter, 1/2" Female x 3/8" Male

Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes.

99230

30" Impact Universal Extension Bar

3/8" Dr. male spring-loaded universal end, 1/2" female Dr., heavy bar to reduce flexing. A great tool for transmission work etc. Durable, spring-loaded impact universal joints featuring V8's new safety ring to prevent any movement of the pin during the impacting process. Extraordinary value for the money and individually carded for display purposes.











3822 Supercharged Magnetic Pickup Tool,

Patent # US 7,378,928

Our *V8 3822* comes with a 2.2lbs pull small head rare earth magnet, that can pickup parts and tools in small cracks. On ocassions when you need a more powerful pickup tool, you simply put on our supercharger and increase the power to 3.3lbs. Telescoping body extends to over 2 feet long.

V8 3822-10, 1 box of 10

V8 38011 replacement Supercharger (rare-earth magnet)

3826

Flexible Magnetic

Pickup Tool,

The Mighty Worm can reach places others cannot!

- Extremely small magnetic head, barely 5mm in dia.
- The head is mounted on an extremely flexible 30" long copper wire
- Extremely powerful, It will pick up more than 1/2 lb
- Extremely useful in picking up parts in small gaps, like a *Mighty Worm*.

Sold in 10 packs only (3826-10)

WK-001

Warmkeyboard

First ever heated computer keyboard on the market. *3 step switch:*

- Heat off
- Low heat (85 ° F to 90 ° F) Normal hand temp.
- High heat (95 ° F to 100 ° F) Normal body temp.
- Energy efficiency: 20 watts

• UL Listed (Patented)

912

Gorilla Torque bar

Double the torque & reach of locking pliers' Made of heat-treated alloy steel.





Increase your pickup power from 2.2lbs to 3.3lbs. Wider magnetic field for sweeping up small parts. Telescoping Magnetic Pickup Tool extends to 22







V8 Tools Mission Statement:

We are committed to making very simple, very useful, very strong and very affordable tools for professionals.

Contact Us:

Phone: (650) 589-4881 Fax: (650) 589-4883 Email: <u>v8tools@sbcglobal.net</u> Website: www.v8tools.com Snail Mail: 429 Littlefield Avenue, South San Francisco CA 94080